


NEW GENERATION HOME LIFT

CIBES – SINCE 1947

Cibes Lift Group is one of the world's largest manufacturers of low-speed lifts, with sales and distribution in more than 70 countries, and a network of 200+ certified distributors.

WHAT MAKES CIBES SPECIAL? DIRECT SALES ACROSS THE WORLD



FACTORY DIRECT SUBSIDIARIES IN:

SWEDEN | NORWAY | FINLAND | FRANCE | UNITED KINGDOM | GERMANY | HOLLAND | SPAIN | AUSTRIA | BELGIUM | DUBAI | CHINA | VIETNAM | THAILAND | PHILIPPINES | INDONESIA | CAMBODIA | | INDIA | USA **CIBES DIRECT OWNED FACTORIES** Gävle, SE | Jiaxing, CN | Roanoke, USA

APPROVED DEALERS IN: 70+ Countries



One does not build a company that lasts over 70 years without an unwavering commitment to customer satisfaction. Cibes fully embraces the Scandinavian ethos of reliability, which is why we are uncompromising when it comes to the quality of our products, the elegance of our designs and our commitment to safety. From the start, our best marketing has always been our existing customers, and the 50,000 lifts we have installed around the world continue to be a driver of our success. At Cibes, we know that our happy customers are the key to our longevity, and we look forward to having you join the Cibes family!

Per fidstrom

CEO, CIBES LIFT GROUP

ABOUT CIBES LIFT GROUP IN 2022

290 MILLION EUROS 1,635

EMPLOYEES Across the world



LIFTS INSTALLED In 70+ countries

- SPACE - SAVING TECHNOLOGY

NO MACHINE ROOM

Minimize civil works and able to open up on last floor without damage to roof area

ALL GLASS SHAFT

Able to do 360 glass shaft for a panoramic ride

SUPERIOR QUALITY

From our glass (laminated and tempered) to our shaft (aviation grade aluminum with premium custom powdercoat), every detail of our lift is carefully studied to offer the best quality.

CABIN DESIGN

Our lifts are platform lifts, which saves space, creates a feeling of openness and avoids locking you inside a cabin.

SCREW DRIVE SYSTEM

Your lift is always attached to our screw and cannot "fall down". Silent and energy efficient

TOUCH AND LIGHT

Our Cibes lifts come with full touchscreen to offer a modern design that can match any interior

ANTI-STUCK SYSTEM

Battery back up, reset tag on door, phone and emergency openings – we have you covered even if the worst were to happen!

NO PIT

Our lift requires no pit - as low as 0 mm and maximum 100 mm. Easy to install anywhere!

HISTORY OF SCREW - DRIVE SCREW-DRIVE GENERATIONS

2019



- Reduced oil use: no oil on guiderails, autolubricating system on screw, >200 mL of oil / year!
- More energy savings: 1.5 kW motor
- Silent operation: new screw pitch and silent box for sound as low as 40 dB
- Reduced maintenance: as low as once per year

Includes all 2nd Generation / Smart Lift features



- Mechanical System: all functions were mechanical and not driven by software
- Lower Travel Height: 13 m

1st generation lifts were **discontinued** in 2017 for all Cibes Lift Group products



- Even Safer Lift! light curtain upgrade for safety edges for near-instantaneous stops, 2N dialer to ensure always functional phone
- Even Smoother Ride Upgraded XXL rollers for an ultra smooth guiderail connection
- Connected Lift connected to our Cibes Control Center for monitoring and remote assistance if needed

Includes all 2nd Generation / Smart Lift features




- Smart Operating System: digital OS (i.e. software)
- Safer Lift thanks to our CiCon System, our lift can be SIL-3 certified, the second highest Safety Integrity Level there is
- Reset RFID Tag you can reset the lift yourself no need to wait for one of our technicians
- Warning Systems: e.g. low battery system
- Fault and Breakage Record: keeps track of all key metrics e.g. travel distance, number of faults and reason to help improve repairs
- Higher Travel height: from 13 to 20 m!
- Advanced Features: e.g. floor specific locks



Invented for the Russian empress Catherine the Great by inventor Ivan Kulibin, the 1st screw drive elevator was installed in the imperial palace The Hermitage in St. Petersburg

SAFETY IS IN OUR DNA SWEDISH FOCUS ON QUALITY



SCREW DRIVE TECHNOLOGY:

Screw-drive technology is unique in the market in that the lifting cabin or platform is always attached to a toughened steel screw. The movement behind the "lifting" is not a pulling motion through cable or belt, but a rotation of a nut around the screw.

This revolutionary system ensures that Cibes Lift platforms and cabin cannot be "cut off" or enter freefall because of cable and brake failures. Instead, they are always connected to the steel screw that runs the length of the whole device.

Thanks to this technology, our screw drives are able to meet not only the extremely high European Safety Standards but also those of our other markets around the world, including but not limited to the USA and Australia.

WHY CUSTOMERS CHOOSE CIBES OUR SAFETY STANDARDS



STANDARDS

All our lifts not only follow the strictest of European and international standards, but we even strive to respect recommended local standards in each of our markets.



SAFETY CERTIFICATIONS

Beyond certifying every lift with the European Lift Instituut, a certification agency specialized in lifts, all our lifts are **Safety Level Integrity 3** certified and our production **ISO 9001**



NATIONWIDE, 24/7 COVERAGE

We may be a global company, but we are hyperlocal for our customers. Our hotline is 24/7, with technicians spread across the country. We are there anytime, anywhere.



ANTI-TRAP SYSTEM FOR EMERGENCIES

All our lifts are equipped not only with a emergency battery lowering system in case of power failures, but also a reset system. Gen 4 also has manual lowering in pit!



LIGHT CURTAIN FOR LASER-FAST SAFETY


The combination of Cibes light curtain to stop near instantaneously in emergency situations, and the cabin design of our V70 / V90 allows us to reach a new level of safety.



INTERNET CONNECTED LIFTS -CIBES MONITORING CENTER

Our newest generation of lifts can connect to the internet for monitoring by our system, allowing us to better plan preventative maintenances and improve support!

WHY CUSTOMERS CHOOSE CIBES MEET OUR CUSTOMER CARE TEAM



As soon as you book your lift with us, you will be entrusted to our Customer Care team with your appointed representative. They will ensure that:

BEFORE INSTALLATION

Cibas

- Liaising with your construction team to prepare site & delivery
- Checking that site is correctly prepared and ready for installation

AFTER INSTALLATION

- Checking that installation is in line with our strict quality standards
- Delivering handover and product training on how to use your lift

... AND FOR THE DECADES TO COME

- Tracking and arranging timely maintenances
- Coordinating repairs, spare parts & fixes (if needed)
- Handling any customer requests / upgrades and more!

Prang – Head of Customer Care

How do we know that our customers love our Customer Care Team?

Referrals are 35% of our new business!



OUR TRUST IN QUALITY CIBES 2 + 2 + 10 PROGRAM

So confident are we in the quality of our products that we offer a comprehensive 2+2+10 product guarantee.



The only thing more stressful than buying a lift is probably worrying about repairs and problems.

With Cibes, that worry does not exist.

We know that the quality of our materials, craftsmanship and installation creates a oneof-a-kind lift that will last for decades.

In fact, we are even willing to guarantee it, with a FREE 2 year warranty for every single V70 Cibes Lift that we sell.

Welcome to a new level of worry-free living. Welcome to the Cibes family!



Even more important than the warranty is the hidden cost of maintenance. With Cibes, there are no hidden costs: we offer 2 years of maintenance for FREE to every single V70 Cibes Lift.

No last-minute additions for labor or spare parts – at Cibes, we want to provide our customers with complete peace of mind.

Most importantly, a Cibes maintenance is no small thing: we only use genuine Cibes Technology TM products, included Cibes Genuine High Performance Oil and Cibes Universal Contact Spray, to ensure that your lift continues to operate smoothly for decades!

YEARS OF FREE WARRANTY



on the Cibes Lift Screw & Nut, conditional to doing maintenances with Cibes Team timely throughout this period



OUR PRODUCT RANGE GLASS SHAFT (V-Series)



V90 CABIN









TIER I

TIER II AURORA





OUR PRODUCT RANGE





CHOOSE YOUR TIER ELEGANCE / AURORA / GALAXY



TIER II AURORA TIER III GALAXY

TIER I ELEGANCE



RECESSED LIGHTING



WHITE WOOD HPL PANEL



SWING OR SALOON DOORS



GREY IRON FORBO FLOORING



TOUCHSCREEN CONTROL PANEL



TOUCHSCREEN CALL BUTTON



ELEGANCE MODELS



V80 Elegance







V70 ELEGANCE

TIER II **AURORA**

PREMIUM POWDER COATS











ORGANIC SIGNAL WHITE

ORIENTAL OYSTER WHITE

ORIENTAL GREY BEIGE

ORIENTAL PALE BROWN





GREY

HPL WALLS





BLACKEN LEGNO PARTIAL CROWN



SILVER

SMOKE STRAND STRAIGHT



TRAVERTINE

JET SEQUOIA



RECESSED CEILING



SWING OR SALOON



STONE FINISH FLOORING



TOUCHSCREEN CONTROL PANEL



TOUCH CALL BUTTON



AURORA MODELS



V80 AURORA



V90 AURORA



V70 AURORA

TIER II **AURORA**

LIGHT UP MOOD WALLS





IONA







PHARAOH



NOVA CLOUDS





CINNABAR ROSE

PAVONA FEATHERS



LONG SPRING

IMPERIAL BLACK

PREMIUM POWDER COATS





TOUCHSCREEN CONTROL PANEL



TOUCH CALL BUTTON



AURORA MODELS




V80 AURORA



V90 AURORA



V70 AURORA



PREMIUM TOUCHSCREEN

ANIMATED CALL BUTTON



GALAXY MODELS



V80 GALAXY








V70 GALAXY

| | SIZE SUMMARY | | | | | | | |
|----------|--------------------------------------|----------|-----------------------------------|--------------|-----------------------|----------|--|----------|
| - | CABIN SIZE (V70 & V90) (in mm) | | PLATFORM SIZE (V80) (in mm) | | SHAFT SIZE (in mm) | | Cut-Out Size (add +30 mm on adjacent side to door) | |
| | A/C Side | B/D Side | A/C Side | B/D Side | A/C Side | B/D Side | A/C Side | B/D Side |
| 1 | 710 | 815 | 635 | 850 | 1000 | 900 | 1040 | 940 |
| 2 | 810 | 815 | 735 | 850 | 1100 | 900 | 1140 | 940 |
| 3 | 910 | 815 | 835 | 850 | 1200 | 900 | 1240 | 940 |
| 4 | 1010 | 815 | 935 | 850 | 1300 | 900 | 1340 | 940 |
| 5 | 1110 | 815 | 1035 | 850 | 1400 | 900 | 1440 | 940 |
| 6 | 1210 | 815 | 1135 | 850 | 1500 | 900 | 1540 | 940 |
| 7 | 710 | 915 | 635 | 950 | 1000 | 1000 | 1040 | 1040 |
| 8 | 810 | 915 | 735 | 950 | 1100 | 1000 | 1140 | 1040 |
| 9 | 910 | 915 | 835 | 950 | 1200 | 1000 | 1240 | 1040 |
| 10 | 1010 | 915 | 935 | 950 | 1300 | 1000 | 1340 | 1040 |
| 11 | 1110 | 915 | 1035 | 950 | 1400 | 1000 | 1440 | 1040 |
| 12 | 1210 | 915 | 1135 | 950 | 1500 | 1000 | 1540 | 1040 |
| 13 | 710 | 1015 | 635 | 1050 | 1000 | 1100 | 1040 | 1140 |
| 14 | 810 | 1015 | 735 | 1050 | 1100 | 1100 | 1140 | 1140 |
| 15 | 910 | 1015 | 835 | 1050 | 1200 | 1100 | 1240 | 1140 |
| 16 | 1010 | 1015 | 935 | 1050 | 1300 | 1100 | 1340 | 1140 |
| 17 | 1110 | 1015 | 1035 | 1050 | 1400 | 1100 | 1440 | 1140 |
| 18 | 1210 | 1015 | 1135 | 1050 | 1500 | 1100 | 1540 | 1140 |
| 19 | 710 | 1115 | 635 | 1150 | 1000 | 1200 | 1040 | 1240 |
| 20 | 810 | 1115 | 735 | 1150 | 1100 | 1200 | 1140 | 1240 |
| 21 | 910 | 1115 | 835 | 1150 | 1200 | 1200 | 1240 | 1240 |
| 22 | 1010 | 1115 | 935 | 1150 | 1300 | 1200 | 1340 | 1240 |
| 23 | 1110 | 1115 | 1035 | 1150 | 1400 | 1200 | 1440 | 1240 |
| 24 | 1210 | 1115 | 1135 | 1150 | 1500 | 1200 | 1540 | 1240 |
| 25 | 710 | 1215 | 635 | 1130 | 1000 | 1300 | 1040 | 1210 |
| 26 | 810 | 1215 | 735 | 1250 | 1100 | 1300 | 1140 | 1340 |
| 27 | 910 | 1215 | 835 | 1250 | 1200 | 1300 | 1240 | 1340 |
| 28 | 1010 | 1215 | 935 | 1250 | 1300 | 1300 | 1340 | 1340 |
| 29 | 1110 | 1215 | | | 1400 | 1300 | 1440 | 1340 |
| 30 | 1210 | 1215 | 1035 1135 | 1250 1250 | 1400 | 1300 | 1440 | 1340 |
| 31 | 710 | 1215 | | | 1000 | 1400 | 1040 | 1340 |
| 32 | 810 | 1315 | 635 | 1350 | 1100 | 1400 | 1040 | 1440 |
| 33 | 910 | 1315 | 735 | 1350 | 1200 | 1400 | 1140 | 1440 |
| 33 34 | 1010 | 1315 | 835 | 1350 | 1200 | 1400 | 1240 | 1440 |
| 34 35 | | | 935 | 1350 | | | | 1440 |
| | 1110 | 1315 | 1035 | 1350 | 1400 | 1400 | 1440 | |
| 36 | 1210 | 1315 | 1135 | 1350 | 1500 | 1400 | 1540 | 1440 |
| 37 | 710 | 1415 | 635 | 1450 | 1000 | 1500 | 1040 | 1540 |
| 38 | 810 | 1415 | 735 | 1450 | 1100 | 1500 | 1140 | 1540 |
| 39 | 910 | 1415 | 835 | 1450 | 1200 | 1500 | 1240 | 1540 |
| 40 | 1010 | 1415 | 935 | 1450 | 1300 | 1500 | 1340 | 1540 |
| 41 | 1110 | 1415 | 1035 | 1450 | 1400 | 1500 | 1440 | 1540 |

HOW TO UNDERSTAND THE NUMBERS



B & D are parallel to the screw and motor







CABIN SIZE is the standing SH space inside the lift

SHAFT SIZE is the final size of the installed shaft

CUT OUT SIZE is the space needed to install the lift

TECHNICAL SPECIFICATIONS

| | Cabin (70 / 90) | Platform (80) | | | |
|--|---|--|--|--|--|
| MAX # OF STOPS | 6 Stops | | | | |
| MAX TRAVEL HEIGHT | 20,000 mm | | | | |
| POWER SUPPLY | 1 phase 220V / 3 phase 220 V / 3 phase 400 V | | | | |
| MINIMUM HEIGHT TOP FLOOR | 2500 mm | 2250 mm | | | |
| BOTTOM PIT | 100 - 120 mm / 0 mm optional with ramp | 50 - 70 mm / 0 mm optional with ramp | | | |
| PRODUCT STANDARD | MD 2006/42/EC, EN81-41, certified by SIL3 | | | | |
| DRIVE MODE | Screw-Drive | | | | |
| RATED POWER | 3 kW | | | | |
| MACHINE ROOM | None (integrated solution) | | | | |
| DOOR OPENING | One Side Only | Flexible choice for 3 sides | | | |
| SAFETY DEVICE | 360° catchment protection with light curtain. Emergency Battery Lowering in case of power failure. Overload alarm device. 2N phone-equipped emergency communication device. Electronic and mechanical safety door protection system. Can be connected to fire alarm device. | 360° catchment protection with mechanical safety edge. Emergency Battery Lowering in case of power failure. Overload alarm device. 2N phone- equipped emergency communication device. Electronic and mechanical safety door protection system. Can be connected to fire alarm device. | | | |
| SHAFT OPTION Shaftless (V70) / Panoramic (V90) | | Panoramic (V80) | | | |
| LOCATION | Indoor or Outdoor | | | | |
| SPEED | 0.15 m/s / 0.25 m/s | 0.15 m/s | | | |
| GLASS | Tempered & Laminated | | | | |

WHAT ABOUT SPEED?

0.15

Our standard and recommended speed for optimal operation.

0.15 m/s is the speed that is recommended by the EU En81-41 machine directive for our range of platform lifts, which we also extend to our full range of products.

0.25

Thanks to our cabin design and light curtain safety edges, we are able to offer a faster speed of 0.25 exclusively on the V70 / V90 line when using 3-phase power without compromising safety in any way.

Enjoy a faster ride in full safety!


A NEW TYPE OF COP **TOUCHSCREEN LUXURY**

ALARM BUTTON & PHONE

Press this for 10 seconds and your lift will automatically begin calling our hotline and your emergency numbers

ANIMATED MOVEMENT

Numbers move and change in size as your lift goes from floor to floor



CHROME FINISH

BUTTON

Available on Galaxy Tier only, the Chrome finish adds luxury and prestige to the COP

LEATHER FINISH

With our leather finish on the handle, enjoy a refined riding experience like no other



LIGHT CONTROL

Control everything from the color and the brightness of the lights to the brightness of the touchscreen itself. Switch between recommended lighting schemes!



PARENTAL CONTROL


Set-up, activate or deactivate a child lock for your lift with a special PIN





FAN CONTROL

Switch on / off or adjust the intensity of the fan directly on the COP



MUSIC SELECTION

Ride in style by listening to our selection of songs pre-loaded onto your COP!

| | General inform | | | | | |
|----------------|--|---------------------|--|--|--|--|
| ha | 2934058 | 4d 5hrs 34m | | | | |
| la len a bidel | set unid | Referchation status | | | | |
| | 234 | Normal | | | | |
| | Lift General Information | | | | | |
| | Phatern LA Sizes A2201 is an advances bit screek, which is easy to compare with two and existing boldings where high construction apply | | | | | |
| | Plathers Lity Elipse A222010 per all importances of the second se | | | | | |
| | Eafety information | | | | | |
| | Commission is also to bit safety. We provide a | | | | | |

ABOUT MY LIFT

Get information about your lift such as date of next maintenance, and distance travelled!

OUR KEY DIFFERENCE EXCEPTIONAL AFTER-SALES



THE FACTORY-DIRECT AFTER-SALES PROMISE

Cibes Lift Philippines Inc. knows that the secret to its phenomenal success has been its best-inclass after-sales service. Over 35% of our business comes from referrals. This is because Cibes has focused on a factory-direct strategy for its technical team as well:

- NO OUTSOURCING!
- TECHNICIANS TRAINED FROM SWEDEN
- LOCAL SPARE PARTS WAREHOUSE

OUR AFTERSALES IN THE PHILIPPINES



CIBES PRODUCTION UNITS DIRECT CONTROLLED

"It doesn't matter whether a Cibes is made in Sweden, the USA or China – all follow our extremely strict Swedish guidelines and conform to the toughest safety standards!"

Chief Operating Officer Samson Popowitz

In charge of Gävle, Roanoke and Jiaxing Production Units

GÄVLE, SWEDEN

Opened in 2012, Gävle is our historic factory mostly focused on public and commercial accessibility lifts. It holds our R&D department and our QC.



FACTORY DIRECTOR:



Johan Wangberg Head of Production Gävle

JIAXING, CHINA

Opened in 2020, Jiaxing is our state-of-the-art facility that produces high-end customized home lifts. It holds an Asia R&D center and training facility.



FACTORY DIRECTOR:



Juan **Trespalacios** Head of Production Jiaxing

ROANOKE, USA

Established in 2014, our Roanoke facility produces lifts designed for the US and Latin America markets that follow the specific ASME standard



FACTORY DIRECTOR:



Rick Crane Head of Production Roanoke



















THROUGH THE FLOOR, ROOFTOP, GATE TYPE LIFT











IN A SHAFT

